



ascendo
TECHNOLOGY BY KOREA



THE JOURNEY ACCOMPLICE

SPECIAL COMPOUND

LONG LIFE [LL]

High mileage, touring request, buildup rubbers plus high durable compound import to our long life series.

TUBELESS & TUBE TYPE

High grip, pinched and frictional heat; also stronger carcass and different specification, it's a high quality production .

WINTER PURPOSE: ICE PRO

Well-developed rubber tread and sidewall for winter, ICE PRO rubber compound more grip and more comfortable




HANDLING



MILEAGE



DRY GRIP



ROLLING



HANDLING



DRAINAGE



ICE PRO



COMFORT



TECHNOLOGY

DUAL COMBO [DC]


Basic and standard combo



- Middle soft rubber for normal condition.
- Elastic, aging and flex fatigue resistance

SAFETY RIDE [SR-T1]

T1 : Additional nylon breaker
Interlaced nylon fabric under the tread to get good steering and stronger carcass, safety net for riders.



ON - ROAD



▶ **MT 564**

T/L	
90/90-10	130/70-12
110/70-12	130/70-13
110/70-14	140/60-13
110/90-13	150/70-14
120/70-12	



▶ **MT 551**

T/L
3.00-10
3.50-10
120/70-12
130/60-13
130/70-12



▶ **MT 552**

T/L
120/70-13



▶ **MT 553**

T/L
3.50-10



▶ **MT 549**

T/L
120/70-12
130/70-12



▶ **MT 546**

T/T
3.50-10



▶ **MT 544**

T/L	
3.50-10	120/70-12
90/90-12	120/70-13
90/90-18	120/90-10
100/80-10	130/60-13
100/90-10	130/70-12
120/70-10	130/90-10



▶ **MT 543**

T/L
120/70-13
130/60-13
130/70-13



▶ **MT 542**

T/L
110/70-12
120/70-12

ON - ROAD



▶ **MT 541**

T/L	
3.50-10	120/90-10
90/90-10	130/60-13
100/80-10	130/70-10
100/90-10	130/70-12
100/90-12	130/90-10
110/80-10	140/60-13
110/90-12	140/60-14
120/70-10	140/70-12
120/70-12	140/70-14
120/70-13	150/70-13
120/70-14	150/70-14
120/80-14	



▶ **MT 540**

T/L	
3.50-10	120/80-14
90/90-10	120/90-10
90/90-12	130/60-13
100/80-10	130/70-10
100/90-10	130/70-12
110/70-11	130/90-10
110/80-10	140/60-13
110/90-12	140/60-14
120/70-10	140/70-12
120/70-12	140/70-14
120/70-13	150/70-13
120/70-14	150/70-14



▶ **MT 539**

T/L	
90/90-10	130/70-10
100/90-10	130/70-11
110/80-10	130/70-12
110/90-13	130/70-13
120/70-10	130/80-12
120/70-12	130/90-10
120/80-12	140/60-13
120/90-10	140/70-12
130/60-13	



▶ **MT 538**

T/L
120/70-13
130/70-13



▶ **MT 537**

T/L
100/90-10



▶ **MT 536**

T/L
90/90-10
100/80-10
100/90-10
110/70-11
120/70-10
120/70-12
130/70-11
130/70-12
140/70-12

ON - ROAD



▶ **MT 533**

T/L
90/90-12
100/90-10



▶ **MT 431**

T/L	T/T&T/L
3.00-10	2.75-17



▶ **MT 430M**

T/L
2.75-17



▶ **MT 413**

T/L
2.75-18
90/90-17
90/90-18
100/80-17
110/80-17
110/80-18
130/70-17



▶ **MT 412**

T/L	T/T&T/L
90/90-18	2.75-17
	2.75-18



▶ **MT 411**

T/L
3.50-10



▶ **MT 410**

T/L
3.00-10
90/90-10
90/90-12
100/90-17
110/90-16
120/90-17
140/60-17
140/90-17



▶ **MT 408**

T/T	T/L	T/T&T/L
110/90-17	90/90-14	90/90-18
120/90-17	100/90-14	
	110/90-16	



▶ **MT 407**

T/T
90/90-19
90/90-21

ON - ROAD



▶ **MT 406R**

T/T	T/L	T/T&T/L
80/100-14	90/90-17	100/90-18
90/90-18	110/80-17	
	110/90-18	
	130/70-17	



▶ **MT 406F**

T/T	T/L
2.75-18	80/90-18
60/100-17	



▶ **MT 405**

T/L	
3.00-10	90/80-17
3.50-10	90/90-12
70/90-14	90/90-14
70/90-16	90/90-16
70/90-17	90/90-17
80/80-17	100/70-17
80/80-18	100/80-14
80/90-14	100/90-14
80/90-16	110/70-17
80/90-17	



▶ **MT 404**

T/L
3.50-10



▶ **MT 403**

T/T&T/L
90/90-18
100/90-18



▶ **MT 402**

T/T
2.50-17
2.75-17
2.75-18
3.00-18



▶ **MT 401**

T/T
2.50-16



▶ **MT 400**

T/T
3.50-10



▶ **MT 399**

T/L	T/T&T/L
2.75-18	3.00-18
90/90-17	
90/90-18	
100/80-17	
110/80-17	
110/80-18	
130/70-17	
130/90-15	

ON - ROAD



▶ **MT 398**

T/T
3.00-17



▶ **MT 397**

T/L
70/90-14
70/90-17
80/90-14
90/90-14
110/80-17
130/70-17



▶ **MT 395**

T/T	T/T & T/L
80/90-14	70/90-14
90/90-14	



▶ **MT 394**

T/T
2.50-17
2.75-17



▶ **MT 393**

T/T
2.50-17
2.75-17
3.00-17



▶ **MT 391**

T/T
2.75-21
4.10-18



▶ **MT 388**

T/T	T/L	T/T&T/L
120/80-17	2.75-17	100/90-17
120/90-17		100/90-18



▶ **MT 387**

T/T	T/T&T/L
70/90-17	2.50-17
80/90-17	



▶ **MT 386**

T/T
2.50-17
2.75-17

ON - ROAD



▶ **MT 385**

T/T
80/90-18
90/90-18



▶ **MT 384**

T/T	T/L	T/T&T/L
2.00-17	70/80-17	70/90-17
2.25-17	100/70-17	80/90-14
2.50-17	110/70-17	80/90-17
2.50-18		90/90-14
2.75-17		
2.75-18		
3.00-17		
3.00-18		



▶ **MT 378**

T/T	T/L	T/T&T/L
2.75-18	2.50-17	2.75-17
3.00-17		
3.00-18		



▶ **MT 372**

T/T&T/L
90/90-18



▶ **MT 370**

T/L
110/90-16



▶ **MT 367**

T/T & T/L
2.75-17



▶ **MT 361**

T/T	T/L
3.25-16	3.00-16



▶ **MT 360**

T/L
2.75-16



▶ **MT 357**

T/L
130/90-15

ON - ROAD



▶ **MT 356**

T/L
90/90-18



▶ **MT 355**

T/T	T/L	T/T&T/L
2.50-17	70/90-16	70/90-14
2.75-17	70/90-17	90/80-14
60/80-17	80/80-14	90/90-14
70/80-17	80/80-17	
	80/90-14	
	80/90-16	
	80/90-17	
	90/80-17	
	90/90-16	
	100/80-14	
	100/80-16	
	100/90-10	
	100/90-14	
	110/70-13	
	120/70-14	
	120/80-16	
	130/70-13	



▶ **MT 354**

T/L
120/90-16



▶ **MT 352**

T/L
2.75-17



▶ **MT 351**

T/L
110/90-16



▶ **MT 350**

T/T & T/L
90/90-18



▶ **MT 339**

T/L
2.75-18



▶ **MT 338**

T/T
3.00-18

ON - ROAD



▶ **MT 337**

T/T
2.75-18



▶ **MT 333**

T/T
3.00-18



▶ **MT 332**

T/T
2.50-18
2.75-18



▶ **MT 330**

T/T	T/T & T/L
2.75-18	3.00-18



▶ **MT 328**

T/L
100/90-18



▶ **MT 325**

T/T
3.60-18



▶ **MT 324**

T/T
3.00-16
3.00-18
3.50-18



▶ **MT 321**

T/T
3.00-17
3.25-16
3.25-17



▶ **MT 317**

T/T
2.75-18

ON - ROAD



▶ **MT 316**

T/T
2.50-18
2.75-18



▶ **MT 315**

T/T
3.00-16
3.00-17
3.00-18



▶ **MT 314**

T/T
2.75-17
2.75-18



▶ **MT 313**

T/T
2.25-17
2.50-17
2.50-18



▶ **MT 310**

T/T
2.25-17
2.50-17
2.50-18
2.75-18



▶ **MT 247**

T/L
3.50-10
90/90-10
100/90-10
120/70-12
130/60-13
130/70-12



▶ **ST 019**

T/L
70/90-17
80/90-17



▶ **ST 018**

T/T
70/90-14
80/90-14
70/90-17
80/90-17



▶ **ST 017**

T/T
60/90-17
70/90-17
80/90-17

ON - ROAD



▶ **ST 016**

T/T

60/90-17
70/90-17
80/90-17



▶ **ST 015**

T/T

70/90-17
80/90-17



▶ **ST 014**

T/T

70/90-14
80/90-14



▶ **ST 013**

T/T

2.50-17
2.75-17
70/90-14
80/80-14
80/90-14

T/L

90/80-14
90/90-14
100/80-14
110/80-14



▶ **ST 012**

T/T

2.50-17
2.75-17

T/L

80/80-14
90/80-14
100/80-14
110/80-14



▶ **ST 011**

T/L

80/80-14
90/80-14
100/80-14



▶ **ST 009**

T/T

2.50-17
2.75-17



▶ **ST 008**

T/T

2.50-17



▶ **ST 007**

T/T

2.25-17
2.50-17
2.75-17
80/80-17

T/L

80/90-17
90/80-17
90/90-17

ON - ROAD



▶ **ST 005**

T/T
70/90-17
80/90-17



▶ **ST 003**

T/L	T/T&T/L
70/90-17	70/80-17
	80/80-17
	80/90-17
	90/80-17



▶ **ST 001**

T/T
70/90-14
80/90-14
90/90-14



▶ **MT PRO 04**

T/L
80/90-14
90/90-14



▶ **MT PRO 03**

T/L	T/T&T/L
70/90-14	70/90-17
80/80-14	80/80-17
90/80-14	80/90-14
90/90-17	80/90-17
100/80-17	90/90-14
110/80-14	100/80-14
110/80-17	



▶ **MT PRO 02**

T/L	
80/80-14	100/80-17
80/80-17	110/80-17
90/80-14	120/80-17
90/80-17	130/70-17
100/80-14	



▶ **MT PRO 01**

T/L
70/90-14
80/90-14
90/90-14

OFF-ROAD



▶ **MT 409**

T/T	T/L
3.00-17	90/90-18
3.00-18	
3.00-21	
3.50-17	
4.10-18	



▶ **MT 349**

T/T
4.10-18



▶ **MT 348**

T/T
3.00-18
3.25-18
3.50-18



▶ **MT 345**

T/T
2.75-17
3.00-21



▶ **MT 344**

T/T
2.50-18
2.75-18
3.00-18
3.50-18
4.10-18
4.60-18
80/100-14
90/90-18
110/90-17



▶ **MT 343**

T/T
2.75-17
3.00-21
3.50-18
3.50-21
4.10-18



▶ **MT 341**

T/T	
2.50-17	3.00-18
2.50-18	3.00-21
2.75-17	3.25-18
2.75-18	3.50-18
2.75-19	4.00-18
2.75-21	70/90-14
3.00-17	80/90-14



▶ **MT 340**

T/T
2.50-17
2.50-18



▶ **ST 002**

T/T	T/T&T/L
2.50-17	2.75-17
3.00-18	

MOPED & OTHERS



▶ **MT 231**

T/T

2-1/4-16
2-1/4-17
2-1/4-19
2-16
2-17
2-19



▶ **MT 241**

T/T

2-1/4-16	2-1/2-17
2-1/4-17	2-3/4-16
2-1/4-18	2-3/4-17
2-1/4-19	2-16
2-1/2-16	2-17



▶ **MT 242**

T/T

2-1/4-16
2-1/4-17
2-1/4-18
2-1/2-16
2-1/2-17
2-3/4-17



▶ **MT 243**

T/T

2.50-10
2.75-10
3.00-12

T/T&TL

3.00-10
3.50-10



▶ **MT 245**

T/T

2-1/4-16
2-1/4-17



▶ **MT 430B**

T/T

4.00-8



▶ **MT 437**

T/T

4.00-7



▶ **MT 442**

T/T

3.50-7



▶ **MT 466**

T/T

4.00-8



▶ **MT 522**

T/T

3.50-8
3.50-10

TUBES



Size	Weight (g)	TR4	TR13	TR87	PV78A	JS87C	JS87CL
3.00 - 8	190		✓				
3.50 - 8	230		✓	✓		✓	
4.00 - 8	310		✓	✓		✓	
2.50 - 10	210			✓		✓	
2.75 - 10	235			✓		✓	
3.00 - 10	300			✓		✓	✓
3.50 - 10	310			✓		✓	
2.50 - 12	240			✓			
2.75 - 12	270	✓		✓			
2.25 - 14	250	✓					
2.50 - 14	285	✓					
2.75 - 14	310	✓					
3.00 - 14	350	✓					
4.00 - 15	510	✓			✓		
2.00 - 16	230	✓					
2.25 - 16	280	✓					
2.50 - 16	320	✓					
2.75 - 16	350	✓					
3.00 - 16	435	✓					
3.25 - 16	465	✓					
3.50 - 16	560	✓					
2.00 - 17	240	✓					

TUBES



Size	Weight (g)	TR4	TR13	TR87	PV78A	JS87C	JS87CL
2.25 - 17	320	✓					
2.50 - 17	350	✓					
2.75 - 17	370	✓					
3.00 - 17	450	✓					
3.25 - 17	495	✓					
3.50 - 17	570	✓					
4.00 - 17	600	✓					
2.00 - 18	260	✓					
2.25 - 18	335	✓					
2.50 - 18	370	✓					
2.75 - 18	390	✓					
3.00 - 18	480	✓					
3.25 - 18	530	✓					
3.50 - 18	600	✓					
4.00 - 18	620	✓	✓				
4.50 - 18	735	✓	✓				
2.00 - 19	280	✓					
2.25 - 19	340	✓					
2.50 - 19	385	✓					
2.75 - 19	420	✓					
2.50 - 21	420	✓					
2.75 - 21	450	✓					



 **ascendo**
TECHNOLOGY BY KOREA

PT. HUNG-A INDONESIA

Hyundai Int'l Industrial Estate Block C5
Cikarang, Bekasi
West Java, Indonesia
Tel. : +62 21 530 6869 / 530 8151
Fax. : +62 21 530 8189

PT. HIRUNDO TYRE UTAMA

Hyundai Int'l Industrial Estate Block C7
Cikarang, Bekasi
West Java, Indonesia
Tel. : +62 21 8991 5858
Fax. : +62 21 530 8189