

ASCENDO



THE JOURNEY ACCOMPLICE

SPECIAL COMPOUND

LONG LIFE [LL]

High mileage, touring request, buildup rubbers plus high durable compound import to our long life series.

TUBELESS & TUBE TYPE

High grip, pinched and frictional heat; also stronger carcass and different specification, it's a high quality production .

WINTER PURPOSE: ICE PRO


Well-developed rubber tread and sidewall for winter, ICE PRO rubber compound more grip and more comfortable



TECHNOLOGY

DUAL COMBO [DC]


Basic and standard combo



- Middle soft rubber for normal condition.
- Elastic, aging and flex fatigue resistance

SAFETY RIDE [SR-T1]

T1 : Additional nylon breaker
Interlaced nylon fabric under the tread to get good steering and stronger carcass, safety net for riders.



ON - ROAD

NEW PATTERNS



► PRO 05

T/L

80/90-14
90/90-14



► PRO 06

T/L

80/90-14
90/90-14



► PRO 07 F

T/L

100/90-12
110/90-12
110/70-12



► PRO 07 R

T/L

110/70-13
130/70-13
130/80-12



► MT 565

T/L

110/80-14
140/70-14

ASCENDO

ON - ROAD



▶ MT **564**

T/L	
80/90-14	120/70-12
90/90-10	130/70-12
90/90-14	130/70-13
110/70-12	140/60-13
110/70-14	150/70-14
110/90-13	



▶ MT **551**

T/L
3.00-10
3.50-10
120/70-12
130/60-13
130/70-12



▶ MT **552**

T/L
120/70-13



▶ MT **553**

T/L
3.50-10



▶ MT **549**

T/L
120/70-12
130/70-12



▶ MT **546**

T/T
3.50-10



▶ MT **544**

T/L	
3.50-10	120/70-12
90/90-12	120/70-13
90/90-18	120/90-10
100/80-10	130/60-13
100/90-10	130/70-12
120/70-10	130/90-10



▶ MT **543**

T/L
120/70-13
130/60-13
130/70-13



▶ MT **542**

T/L
110/70-12
120/70-12

ON - ROAD



► MT **541**

T/L	
3.50-10	120/90-10
90/90-10	130/60-13
100/80-10	130/70-10
100/90-10	130/70-12
100/90-12	130/90-10
110/80-10	140/60-13
110/90-12	140/60-14
120/70-10	140/70-12
120/70-12	140/70-14
120/70-13	150/70-13
120/70-14	150/70-14
120/80-14	



► MT **540**

T/L	
3.50-10	120/80-14
90/90-10	120/90-10
90/90-12	130/60-13
100/80-10	130/70-10
100/90-10	130/70-12
110/70-11	130/90-10
110/80-10	140/60-13
110/90-12	140/60-14
120/70-10	140/70-12
120/70-12	140/70-14
120/70-13	150/70-13
120/70-14	150/70-14



► MT **539**

T/L	
90/90-10	130/70-10
100/90-10	130/70-11
110/80-10	130/70-12
110/90-13	130/70-13
120/70-10	130/80-12
120/70-12	130/90-10
120/80-12	140/60-13
120/90-10	140/70-12
130/60-13	



► MT **538**

T/L
120/70-13
130/70-13



► MT **537**

T/L
100/90-10



► MT **536**

T/L
90/90-10
100/80-10
100/90-10
110/70-11
120/70-10
120/70-12
130/70-11
130/70-12
140/70-12

ON - ROAD



▶ **MT 533**

T/L
90/90-12
100/90-10



▶ **MT 431**

T/L	T/T&T/L
3.00-10	2.75-17



▶ **MT 430 M**

T/L
2.75-17



▶ **MT 413**

T/L
2.75-18
90/90-17
90/90-18
100/80-17
110/80-17
110/80-18
130/70-17



▶ **MT 412**

T/L	T/T&T/L
90/90-18	2.75-17
	2.75-18



▶ **MT 411**

T/L
3.50-10



▶ **MT 410**

T/L
3.00-10
90/90-10
90/90-12
100/90-17
110/90-16
120/90-17
140/60-17
140/90-17



▶ **MT 408**

T/T	T/L	T/T&T/L
110/90-17	90/90-14	90/90-18
120/90-17	100/90-14	
	110/90-16	



▶ **MT 407**

T/T
90/90-19
90/90-21

ON - ROAD



▶ MT

406R

T/T	T/L	T/T&T/L
80/100-14 90/90-18	90/90-17 110/80-17 110/90-18 130/70-17	100/90-18



▶ MT

406F

T/T	T/L
2.75-18 60/100-17	80/90-18



▶ MT

405

T/L	
3.00-10 3.50-10 70/90-14 70/90-16 70/90-17 80/80-17 80/80-18 80/90-14 80/90-16 80/90-17	90/80-17 90/90-12 90/90-14 90/90-16 90/90-17 100/70-17 100/80-14 100/90-14 110/70-17



▶ MT

404

T/L
3.50-10



▶ MT

403

T/T&T/L
90/90-18 100/90-18



▶ MT

402

T/T
2.50-17 2.75-17 2.75-18 3.00-18



▶ MT

401

T/T
2.50-16



▶ MT

400

T/T
3.50-10



▶ MT

399

T/L	T/T&T/L
2.75-18 90/90-17 90/90-18 100/80-17 110/80-17 110/80-18 130/70-17 130/90-15	3.00-18

ON - ROAD



▶ **MT 398**

T/T
3.00-17



▶ **MT 397**

T/L
70/90-14
70/90-17
80/90-14
90/90-14
110/80-17
130/70-17



▶ **MT 395**

T/T	T/T & T/L
80/90-14	70/90-14
90/90-14	



▶ **MT 394**

T/T
2.50-17
2.75-17



▶ **MT 393**

T/T
2.50-17
2.75-17
3.00-17



▶ **MT 391**

T/T
2.75-21
4.10-18



▶ **MT 388**

T/T	T/L	T/T&T/L
120/80-17	2.75-17	100/90-17
120/90-17		100/90-18



▶ **MT 387**

T/T	T/T&T/L
70/90-17	2.50-17
80/90-17	



▶ **MT 386**

T/T
2.50-17
2.75-17

ON - ROAD



▶ **MT 385**

T/T
80/90-18
90/90-18



▶ **MT 384**

T/T	T/L	T/T&T/L
2.00-17	70/80-17	70/90-17
2.25-17	100/70-17	80/90-14
2.50-17	110/70-17	80/90-17
2.50-18		90/90-14
2.75-17		
2.75-18		
3.00-17		
3.00-18		



▶ **MT 378**

T/T	T/L	T/T&T/L
2.75-18	2.50-17	2.75-17
3.00-17		
3.00-18		



▶ **MT 372**

T/T&T/L
90/90-18



▶ **MT 370**

T/L
110/90-16



▶ **MT 367**

T/T & T/L
2.75-17



▶ **MT 361**

T/T	T/L
3.25-16	3.00-16



▶ **MT 360**

T/L
2.75-16



▶ **MT 357**

T/L
130/90-15

ON - ROAD



▶ **MT 356**

T/L
90/90-18



▶ **MT 355**

T/T	T/L	T/T&T/L
2.50-17	70/90-16	70/90-14
2.75-17	70/90-17	90/80-14
60/80-17	80/80-14	90/90-14
70/80-17	80/80-17	
	80/90-14	
	80/90-16	
	80/90-17	
	90/80-17	
	90/90-16	
	100/80-14	
	100/80-16	
	100/90-10	
	100/90-14	
	110/70-13	
	120/70-14	
	120/80-16	
	130/70-13	



▶ **MT 354**

T/L
120/90-16



▶ **MT 352**

T/L
2.75-17



▶ **MT 351**

T/L
110/90-16



▶ **MT 350**

T/T & T/L
90/90-18



▶ **MT 339**

T/L
2.75-18



▶ **MT 338**

T/T
3.00-18

ON - ROAD



▶ **MT 337**

T/T
2.75-18



▶ **MT 333**

T/T
3.00-18



▶ **MT 332**

T/T
2.50-18
2.75-18



▶ **MT 330**

T/T	T/T & T/L
2.75-18	3.00-18



▶ **MT 328**

T/L
100/90-18



▶ **MT 325**

T/T
3.60-18



▶ **MT 324**

T/T
3.00-16
3.00-18
3.50-18



▶ **MT 321**

T/T
3.00-17
3.25-16
3.25-17



▶ **MT 317**

T/T
2.75-18

ON - ROAD



▶ **MT 316**

T/T
2.50-18
2.75-18



▶ **MT 315**

T/T
3.00-16
3.00-17
3.00-18



▶ **MT 314**

T/T
2.75-17
2.75-18



▶ **MT 313**

T/T
2.25-17
2.50-17
2.50-18



▶ **MT 310**

T/T
2.25-17
2.50-17
2.50-18
2.75-18



▶ **MT 247**

T/L
3.50-10
90/90-10
100/90-10
120/70-12
130/60-13
130/70-12



▶ **ST 019**

T/L
70/90-17
80/90-17



▶ **ST 018**

T/T
70/90-14
80/90-14
70/90-17
80/90-17



▶ **ST 017**

T/T
60/90-17
70/90-17
80/90-17

ON - ROAD



► **ST 016**

T/T

60/90-17
70/90-17
80/90-17



► **ST 015**

T/T

70/90-17
80/90-17



► **ST 014**

T/T

70/90-14
80/90-14



► **ST 013**

T/T

2.50-17
2.75-17
70/90-14
80/80-14
80/90-14

T/L

90/80-14
90/90-14
100/80-14
110/80-14



► **ST 012**

T/T

2.50-17
2.75-17

T/L

80/80-14
90/80-14
100/80-14
110/80-14



► **ST 011**

T/L

80/80-14
90/80-14
100/80-14



► **ST 009**

T/T

2.50-17
2.75-17



► **ST 008**

T/T

2.50-17



► **ST 007**

T/T

2.25-17
2.50-17
2.75-17
80/80-17

T/L

80/90-17
90/80-17
90/90-17

ON - ROAD



► **ST 005**

T/T
70/90-17
80/90-17



► **ST 003**

T/L	T/T&T/L
70/90-17	70/80-17
	80/80-17
	80/90-17
	90/80-17



► **ST 001**

T/T
70/90-14
80/90-14
90/90-14



► **MT PRO 04**

T/L
80/90-14
90/90-14



► **MT PRO 03**

T/L	T/T&T/L
70/90-14	70/90-17
80/80-14	80/80-17
90/80-14	80/90-14
90/90-17	80/90-17
100/80-17	90/90-14
110/80-14	100/80-14
110/80-17	



► **MT PRO 02**

T/L	
80/80-14	100/80-17
80/80-17	110/80-17
90/80-14	120/80-17
90/80-17	130/70-17
100/80-14	



► **MT PRO 01**

T/L
70/90-14
80/90-14
90/90-14

OFF- ROAD



► MT **409**

T/T	T/L
3.00-17	90/90-18
3.00-18	
3.00-21	
3.50-17	
4.10-18	



► MT **349**

T/T
4.10-18



► MT **348**

T/T
3.00-18
3.25-18
3.50-18



► MT **345**

T/T
2.75-17
3.00-21



► MT **344**

T/T
2.50-18
2.75-18
3.00-18
3.50-18
4.10-18
4.60-18
80/100-14
90/90-18
110/90-17



► MT **343**

T/T
2.75-17
3.00-21
3.50-18
3.50-21
4.10-18



► MT **341**

T/T	
2.50-17	3.00-18
2.50-18	3.00-21
2.75-17	3.25-18
2.75-18	3.50-18
2.75-19	4.00-18
2.75-21	70/90-14
3.00-17	80/90-14



► MT **340**

T/T
2.50-17
2.50-18



► ST **002**

T/T	T/T&T/L
2.50-17	2.75-17
3.00-18	

MOPED & OTHERS



▶ **MT 231**

T/T

2-1/4-16
2-1/4-17
2-1/4-19
2-16
2-17
2-19



▶ **MT 241**

T/T

2-1/4-16	2-1/2-17
2-1/4-17	2-3/4-16
2-1/4-18	2-3/4-17
2-1/4-19	2-16
2-1/2-16	2-17



▶ **MT 242**

T/T

2-1/4-16
2-1/4-17
2-1/4-18
2-1/2-16
2-1/2-17
2-3/4-17



▶ **MT 243**

T/T

2.50-10
2.75-10
3.00-12

T/T&TL

3.00-10
3.50-10



▶ **MT 245**

T/T

2-1/4-16
2-1/4-17



▶ **MT 430 B**

T/T

4.00-8



▶ **MT 437**

T/T

4.00-7



▶ **MT 442**

T/T

3.50-7



▶ **MT 466**

T/T

4.00-8



▶ **MT 522**

T/T

3.50-8
3.50-10

ASCENDO

TUBES



SIZE	Weight (g)	TR4	TR13	TR87	PV78A	JS87C	JS87CL
3.00 - 8	190		✓				
3.50 - 8	230		✓	✓		✓	
4.00 - 8	310		✓	✓		✓	
2.50 - 10	210			✓		✓	
2.75 - 10	235			✓		✓	
3.00 - 10	300			✓		✓	✓
3.50 - 10	310			✓		✓	
2.50 - 12	240			✓			
2.75 - 12	270	✓		✓			
2.25 - 14	250	✓					
2.50 - 14	285	✓					
2.75 - 14	310	✓					
3.00 - 14	350	✓					
4.00 - 15	510	✓			✓		
2.00 - 16	230	✓					
2.25 - 16	280	✓					
2.50 - 16	320	✓					
2.75 - 16	350	✓					
3.00 - 16	435	✓					
3.25 - 16	465	✓					
3.50 - 16	560	✓					
2.00 - 17	240	✓					

TUBES



SIZE	Weight (g)	TR4	TR13	TR87	PV78A	JS87C	JS87CL
2.25 - 17	320	✓					
2.50 - 17	350	✓					
2.75 - 17	370	✓					
3.00 - 17	450	✓					
3.25 - 17	495	✓					
3.50 - 17	570	✓					
4.00 - 17	600	✓					
2.00 - 18	260	✓					
2.25 - 18	335	✓					
2.50 - 18	370	✓					
2.75 - 18	390	✓					
3.00 - 18	480	✓					
3.25 - 18	530	✓					
3.50 - 18	600	✓					
4.00 - 18	620	✓	✓				
4.50 - 18	735	✓	✓				
2.00 - 19	280	✓					
2.25 - 19	340	✓					
2.50 - 19	385	✓					
2.75 - 19	420	✓					
2.50 - 21	420	✓					
2.75 - 21	450	✓					



ASCENDO

@2024 Ascendo motorcycle tires all right reserved.
Ascendo motorcycle tires reserves the right to change and
or discontinue any specification design, feature, models
and accessories shown without prior notice.

PT. HIRUNDO TYRE UTAMA

Hyundai International Industrial Estate, Block
C7, No. 2, 3, 3A, Bekasi 17550,
West Java, Indonesia
Tel. : +62 21 8991 5858
Fax. : +62 21 530 8189